



Table 2. Crude rate per 100,000 people of drug-related hospitalisations in 2021-22 and 2020-21, and average percent change (APC) for difference between 2021-22 and 2020-21, by selected drugs and age group

Drug & Age	Number 2021-22	Crude rate (95% CI)		2021-22 versus 2020-21 APC (95% CI)
		2021-22	2020-21	
<b>All drugs</b>				
<b>Opioids</b>				
<b>GHB</b>				

---


Table 3. Crude rate per 100,000 people of drug-





---

Table 7. Crude rate per 100,000 people of drug-related hospitalisations in 2021-22 and 2020-21, and average percent


Table 8. Age-standardised rate per 100,000 people of drug-related hospitalisations in 2021-22 and 2020-21, and average percent change (APC) for difference between 2021-22 and 2020-21, by mental and behavioural disorder due to substance use identified in the principal diagnosis, and by remoteness area

Principal diagnosis & Remoteness	Number	Age-standardised rate (95% CI)		2021-22 versus 2020-21
	2021-22	2021-22	2020-21	APC (95% CI)
Any mental and behavioural disorder due to substance use				

Other mental and behavioural disorder due to substance use	

Table 9. Age-standardised rate per 100,000 people of drug-related hospitalisations in 2021-22 and 2020-21, and average percent change (APC) for difference between 2021-22 and 2020-21, by external cause of poisoning, and by sex

External cause & Sex	Number	Age-standardised rate (95% CI)		2021-22 versus 2020-21 APC (95% CI)
	2021-22	2021-22	2020-21	
Any drug poisoning				
Unintentional				
Intentional				



---

Unintentional

---

Undetermined

Table 12. Age-standardised rate per 100,000 people of drug-related hospitalisations in 2021-22 and 2020-21, and average percent change (APC) for difference between 2021-22 and 2020-21, by drug type identified in the principal diagnosis

Drug	Number	Age-standardised rate (95% CI)		2021-22 versus 2020-21
	2021-22	2021-22	2020-21	APC (95% CI)

---

Non-opioid analgesics

---



---

Amphetamine-type stimulants

---



---


---





---


---

