Assisted reproductive technology in Australia and New Zealand 2017

September 2019

UNSW Australia

Abbreviations and symbols

ART	assisted reproductive technology
DET	double embryo transfer
GIFT	gamete intrafallopian transfer
ICSI	intracytoplasmic sperm injection
IVF	in vitro fertilisation
OPU	oocyte pick-up
PESA	percutaneous epididymal sperm aspiration
PGD	preimplantation genetic diagnosis
SET	single embryo transfer
ï	not applicable
%	percentage
n	number

Table S3: Outcome of embryo transfer cycles by technique of sperm retrieval, Australia and New Zealand, 2017

	Site of sperm extraction				
Stage/outcome of treatment	**Ejaculate**	**Epididymis[a]**	**Testicular**	**Other**	**Not stated**
Embryo transfers	51,771	512	1,776	14	1,295
Clinical pregnancies	17,495	169	597	1	528
Live deliveries[b]	13,765	148	480	1	426
Clinical pregnancies per transfer cycle (%)	*33.8*	*33.0*	*33.6*	*7.1*	*40.8*
Live deliveries per transfer cycle (%)	*26.6*	*28.9*	*27.0*	*7.1*	*32.9*

(a) Epididymal sperm is extracted by either open biopsy or percutaneous epididymal sperm aspiration (PESA).

(b) A live delivery is the delivery of one or more liveborn infants, with the birth of twins or higher order multiples counted as one live delivery.

Note: Data should be interpreted with caution due to small numbers in certain cells.

Table S4: Embryo transfer cycles by number of embryos transferred, treatment type and procedure, Australia and New Zealand, 2017

	Autologous	
Number of embryos	**Fresh IVF**	**Fresh ICSI**

Table S5: Outcome of embryo transfer cycles by stage of embryo development, Australia and New Zealand, 2017

	Fresh		Thaw		
Stage/outcome of treatment	**Cleavage embryos**	**Blastocysts**	**Thawed and transferred cleavage embryos**	**Thawed cleavage and transferred blastocysts**	**Thawed and transferred blastocy**

Table S7: Deliveries by cause of infertility and delivery outcome, Australia and New Zealand, 2017

	Delivery outcome
	Live delivery[(a)]

Table S8: Deliveries by gestational age and cause of infertility, Australia and New Zealand, 2017

Table S15: Deliveries by gestational age and number of embryos transferred, Australia and New Zealand, 2017

	Number of embryos transferred			
Gestational age (weeks)	**One**	**Two**	**Three or more**	**All**
Mean (weeks)	*38.1*	*36.8*	*38.4*	*38*
		n		
≤ 27	*150*	*25*	*0*	*175*
28-31	*135*	*28*	*0*	*163*
32-36	*1,251*	*290*	*0*	*1,541*
< 37[(a)]	1,536	343	0	1,879
Ó37	12,134	943	5	13,082
Total	**13,693**	**1,296**	**5**	**14,994**
		%		
≤ 27	*1.1*	*1.9*	*0.0*	*1.2*
28-31	*1.0*	*2.2*	*0.0*	*1.1*
32-36	*9.1*	*22.4*	*0.0*	*10.3*
< 37[(a)]	11.2	26.5	0.0	12.6
Ó37	88.6	72.8	100.0	87.2
Total	**100.0**	**100.0**	**100.0**	**100.0**

(a) A

Table S19: Birthweight of babies by treatment type and procedure, Australia and New Zealand, 2017

	Autologous				
Birthweight (grams)	**Fresh IVF**	**Fresh ICSI**	**Thaw**	**Oocyte/embryo recipient**	**All**
Mean (grams)	*3,123*	*3,144*	*3,264*	*3,171*	*3,221*
			n		
< 1,000	*45*	*32*	*92*	*6*	*175*
1,000-1,499	*58*	*35*	*88*	*5*	*186*
1,500-1,999	*106*	*47*	*166*	*20*	*339*
2,000-2,499	*280*	*187*	*477*	*60*	*1,004*

Table S20: Perinatal mortality of babies by type of death and treatment type and procedure, Australia and New Zealand, 2017